

# FM 753 CRACK

**ANCORANTE  
PESANTE  
PASSANTE  
HEAVY DUTY  
THROUGH ANCHOR**

**CON CERTIFICAZIONE  
SISMICA  
WITH SEISMIC  
CERTIFICATION**

✓  
**CARICHI DINAMICI E SISMICI  
DYNAMIC AND SEISMIC LOADS**

✓  
**ESPANSIONE IMMEDIATA  
IMMEDIATE EXPANSION**



✓  
**PERNO BONIFICATO cl. 9.8  
FASCETTA INOX A4  
HARDENED AND TEMPERED STEEL BODY  
grade 9.8 - STAINLESS STEEL A4 CLIP**



**FRIULSIDER**  
YOUR FIXING FACTORY


## FM-753 CRACK 3DG

**Ancorante pesante passante con certificazione sismica**  
**Heavy duty through anchor with seismic certification**



### CERTIFICAZIONI CERTIFICATIONS

**Prestazione sismica C1 e C2**  
 Seismic performance C1 and C2  
**Calcestruzzo fessurato**  
 Cracked concrete  
**Resistenza al fuoco R120**  
 Fire resistance R120



**Assemblato**  
**Perno bonificato cl. 9.8**  
**Fascetta inox A4**  
**Speciale rivestimento anticorrosione con finitura brillante**

Assembled  
 Hardened and tempered anchor body grade 9.8  
 Stainless steel A4 clip  
 Special anti-corrosion coating with glossy finish

Cod.	Dim. Ø x L	Lunghezza filetto Thread length	Spessore max fissabile per posa Fixing thickness for embedment depth			Conf. Pkg.	Imballo Outerbox
			NEW	Ridotta Reduced	Standard		
75350b08068 <sup>(1)</sup>	M8x68	30		18	4	100	400
75350b08075 <sup>(1)</sup>	M8x75	30		24	10	100	400
75350b08090 <sup>(1)</sup>	M8x90	40		39	25	100	400
75350b08115 <sup>(1)</sup>	M8x115	60		64	50	100	400
75350b08135 <sup>(1)</sup>	M8x135	80		84	70	100	400
75350b08165 <sup>(1)</sup>	M8x165	80		114	100	50	200
75350b10090	M10x90	40		30	10	50	200
75350b10105	M10x105	55		45	25	50	200
75350b10115	M10x115	55		55	35	50	200
75350b10135	M10x135	85		75	55	50	200
75350b10155	M10x155	85		95	75	50	200
75350b10185	M10x185	85		125	105	25	100
75350b12110	M12x110	65		30	10	50	200
75350b12120	M12x120	65		40	20	50	200
75350b12145	M12x145	85		65	45	25	100
75350b12170	M12x170	85		90	70	25	100
75350b12200	M12x200	85		120	100	25	100
75350b16130	M16x130	65		30	10	20	80
75350b16150	M16x150	85		50	30	20	80
75350b16185	M16x185	85		80	60	20	80
75350b16220	M16x220	85		120	100	15	60

<sup>(1)</sup> Solo certificazione categoria sismica C1 / Seismic certification category C1 only

**Speciale rivestimento anticorrosione resistenza alla corrosione in nebbia salina fino a 1000 ore**

Special anti-corrosion coating up to 1000 hours in salt spray test  
 Vedi/See p. 6-7

**3DG COATING**

TRIPLE DIFFUSION GALVANIZATION

[www.friulsider.com](http://www.friulsider.com)



**FISSAGGI CON CERTIFICAZIONE SISMICA**  
 FIXINGS WITH SEISMIC CERTIFICATION  
 Vedi/See p. 8-9

**SEISMIC**

[www.friulsider.com](http://www.friulsider.com)

## FM-753 CRACK INOX A4

**Ancorante pesante passante con certificazione sismica**  
**Heavy duty through anchor with seismic certification**



### CERTIFICAZIONI CERTIFICATIONS

#### Prestazione sismica C1 e C2

Seismic performance C1 and C2

#### Calcestruzzo fessurato

Cracked concrete

#### Resistenza al fuoco R120

Fire resistance R120



#### Assemblato Inox A4

Assembled  
Stainless steel A4

Cod.	Dim. Ø x L	Lunghezza filetto Thread length	Sp. fissabile Fixing thickness max	Conf. Pkg.	Imballo Outerbox
75350008068 <sup>(1)</sup>	M8x68	30	4	100	400
75350008075 <sup>(1)</sup>	M8x75	30	10	100	400
75350008090 <sup>(1)</sup>	M8x90	40	25	100	400
75350008115 <sup>(1)</sup>	M8x115	60	50	100	400
75350008135 <sup>(1)</sup>	M8x135	80	70	100	400
75350008165 <sup>(1)</sup>	M8x165	80	100	50	200
75350010090	M10x90	40	10	50	200
75350010105	M10x105	55	25	50	200
75350010115	M10x115	55	35	50	200
75350010135	M10x135	85	55	50	200
75350010155	M10x155	85	75	50	200
75350010185	M10x185	85	105	25	100
75350012110	M12x110	65	10	50	200
75350012120	M12x120	65	20	50	200
75350012145	M12x145	85	45	25	100
75350012170	M12x170	85	70	25	100
75350012200	M12x200	85	100	25	100
75350016130	M16x130	65	10	20	80
75350016150	M16x150	85	30	20	80
75350016185	M16x185	85	60	20	80
75350016220	M16x220	85	100	15	60

<sup>(1)</sup> Solo certificazione categoria sismica C1 / Seismic certification category C1 only

Download:  
[www.friulsider.com](http://www.friulsider.com)



**FIXCALC**  
ENGINEERING SOFTWARE

[www.friulsider.com](http://www.friulsider.com)

30 **FRIULSIDER**  
2022



**SEISMIC**

**FISSAGGI CON  
CERTIFICAZIONE SISMICA**  
FIXINGS WITH  
SEISMIC CERTIFICATION

Vedi/See p. 8-9